Author Index Vol. 545

Acevedo, F.
Use of discrete spacers for the separation of proteins by gel isotachophoresis 545(1991)391
Acevedo, F. and Goitom, Z.
Two-dimensional electrophoresis: agarose gel isotachophoresis followed by sodium dodecyl sulphate–polyacrylamide electrophoresis 545(1991)343
Ackermans, M. T., Everaerts, F. M. and Beckers, J. L.
Isotachophoresis in open systems. Problems in quantitative analysis 545(1991)283
Albert, F.-M., see Lausecker, B. 545(1991)115
Amano, H., see Takamura, K. 545(1991)201
Araki, T., Kuramoto, M. and Torikata, T.
Peptide separation by gel filtration high-performance liquid chromatography using a gradient elution system 545(1991)183
Atkinson, T., see Edwardson, P. A. D. 545(1991)79
Beckers, J. L., see Ackermans, M. T. 545(1991)283
Betti, A., see Lodi, G. 545(1991)214
Bhoolia, D. and Manchester, K. L.
Separation of ribosomal subunits on Trisacryl GF 2000 545(1991)196
Binder, F., see Thormann, W. 545(1991)445
Boček, P., see Dolník, V. 545(1991)249
Boček, P., see Křivánková, L. 545(1991)307
Boček, P., see Sudor, J. 545(1991)331
Boček, P., see Šustáček, V. 545(1991)239
Borst, D. W. and Tsukimura, B.
Quantification of methyl farnesoate levels in hemolymph by high-performance liquid chromatography 545(1991)71
Brandšteterová, E., Štubňa, M., Lehotay, J. and Derneschová, D.
High-performance liquid chromatography of rubber antidegradants with diode-array detection 545(1991)205
Bruchelt, G., Buedenbender, M., Schmidt, K.-H., Jopski, B., Treuner, J. and Niethammer, D.
Isotachophoretic determination of 2–5A phosphodiesterase 545(1991)407
Brunner, G., see Tsikas, D. 545(1991)375
Bruno, T. J., see Martire, D. E. 545(1991)135
Buedenbender, M., see Bruchelt, G. 545(1991)407
Caslavska, J., Gebauer, P., Odermatt, A. and Thormann, W.
Recycling and screen-segmented column isotachophoresis, two free-fluid approaches for fractionation of proteins 545(1991)315
Chmelík, J.
Isoelectric focusing field-flow fractionation. II. Experimental study of focusing of methyl red in the trapezoidal cross-section channel 545(1991)349
Collins, I. J., see Edwardson, P. A. D. 545(1991)79
Cork, C. M., see Rein, J. 545(1991)149
Cox, G. B., see Edwardson, P. A. D. 545(1991)79
Dantigny, P., Wang, Y., Hubble, J. and Howell, J. A.
Optimisation of frontal chromatography by partial loading 545(1991)27
Deml, M., see Dolník, V. 545(1991)249
Deml, M., see Sudor, J. 545(1991)331
Derneschová, D., see Brandšteterová, E. 545(1991)205
Dolník, V., Deml, M., Gebauer, P. and Boček, P.
Optimization of isotachophoretic analysis: use of the charge-based transient-state model 545(1991)249
Dombek, V.
Determination of permethrine and tetramethrine by isotachophoretic analysis of hydrolytic products 545(1991)427
Edwardson, P. A. D., Collins, I. J., Scawen, M. D., Atkinson, T., Cox, G. B., Sivakoff, S. and Stout, R. W.
Separation and purification of oligonucleotides using a new bonded-phase packing material 545(1991)79
Everaerts, F. M., see Ackermans, M. T. 545(1991)283
Everaerts, F. M., see Van de Goor, T. A. A. M. 545(1991)379
Fanali, S.
Use of cyclodextrins in capillary zone electrophoresis. Resolution of terbutaline and propranolol enantiomers 545(1991)437
Fauler, J., see Tsikas, D. 545(1991)375
Flaig, K. H., see Hahn, A. 545(1991)91
Foret, F., see Křivánková, L. 545(1991)307
Foret, F., see Šustáček, V. 545(1991)239
Frölich, J. C., see Tsikas, D. 545(1991)375
Fukuyama, T., see Terabe, S. 545(1991)359

Furton, K. G., see Rein, J. 545(1991)149
Gál, S., Tar, A., Toth-Martinez, B. L. and Hernadi, F. J.
Use of chromatofocusing for separation of β-lactamases. IX. Analytical chromatofocusing for the separation of a chromosomal cephalosporinase from *Proteus vulgaris* 1028 545(1991)189
Gaš, B., Vacík, J. and Zelenský, I.
Computer-aided simulation of electromigration 545(1991)225
Gebauer, P. and Thormann, W.
Isotachophoresis in open-tubular fused-silica capillaries with on-column multi-wavelength detection 545(1991)299
Gebauer, P., see Caslavska, J. 545(1991)315
Gebauer, P., see Dolník, V. 545(1991)249
Goitom, Z., see Acevedo, F. 545(1991)343
Golshan-Shirazi, S. and Guiochon, G.
Use of the LeVan–Vermeulen isotherm model for the calculation of elution band profiles in non-linear chromatography 545(1991)1
Guiochon, G., see Golshan-Shirazi, S. 545(1991)1
Hahn, A., Flaig, K. H. and Rehner, G.
Optimized high-performance liquid chromatographic procedure for the separation and determination of the main folacins and some derivatives. II. Extraction method and application to rat liver 545(1991)91
Hejzlar, J., see Kopáček, P. 545(1991)461
Hempenius, J., see Wieling, J. 545(1991)101
Hernadi, F. J., see Gál, S. 545(1991)189
Hirokawa, T., Yokota, Y. and Kiso, Y.
Effect of sample composition on the separation efficiency of isotachophoresis 545(1991)267
Hoshino, H., see Takamura, K. 545(1991)201
Howell, J. A., see Dantigny, P. 545(1991)27
Hubble, J., see Dantigny, P. 545(1991)27
Hussam, A., see Martire, D. E. 545(1991)135
Ishihama, Y., see Terabe, S. 545(1991)359
Janssen, P. S. L., see Van de Goor, T. A. A. M. 545(1991)379
Jonker, H. D., see Trieling, R. G. 545(1991)475
Jonkman, J. H. G., see Wieling, J. 545(1991)101
Jopski, B., see Bruchelt, G. 545(1991)407
Kahie, Y. D., see Lodi, G. 545(1991)214
Kaniansky, D., see Kopáček, P. 545(1991)461
Karovičová, J., Polonský, J., Príbela, A. and Šimko, P.
Isotachophoresis of some synthetic colorants in foods 545(1991)413
Kavrakova, I., see Palamareva, M. D. 545(1991)161
Kenndler, E. and Schmidt-Beiwl, K.
Effect of sodium dodecyl sulphate in protein samples on separation with free capillary zone electrophoresis 545(1991)397
Kessler, R., see Zeller, M. 545(1991)421
Kilár, F.
Determination of p*I* by measuring the current in the mobilization step of high-performance capillary isoelectric focusing. Analysis of transferrin forms 545(1991)403
Kirkland, K. M., Neilson, K. L. and McCombs, D. A.
Comparison of a new ovomucoid and a second-generation α_1-acid glycoprotein-based chiral column for the direct high-performance liquid chromatography resolution of drug enantiomers 545(1991)43
Kiso, Y., see Hirokawa, T. 545(1991)267
Knox, J. H. and Shibukawa, M.
Anomalous bandspreading of ethylenediaminetetraacetato–chromium(III) ion in reversed-phase high-performance liquid chromatography. An example of slow equilibrium kinetics 545(1991)123
Kopáček, P., Kaniansky, D. and Hejzlar, J.
Characterization of humic substances by capillary isotachophoresis 545(1991)461
Křivánková, L., Foret, F. and Boček, P.
Determination of halofuginone in feedstuffs by the combination of capillary isotachophoresis and capillary zone electrophoresis in a column-switching system 545(1991)307
Kuramoto, M., see Araki, T. 545(1991)183
Kurtev, B. J., see Palamareva, M. D. 545(1991)161
Lausecker, B. and Albert, F.-M.
Separation and estimation of small amounts of the enantiomers of carbidopa and methyldopa on a chiral stationary phase with L-phenylalanine as selector in ligand-exchange chromatography 545(1991)115
Lehotay, J., see Brandšteterová, E. 545(1991)205
Lodi, G., Betti, A., Kahie, Y. D. and Mahamed, A. M.
Multiple-development high-performance thin-layer chromatography of organochlorine pesticides 545(1991)214
Lu, P., see Zou, H. 545(1991)59
Macek, J., Tjaden, U. R. and Van der Greef, J.
Resolution and concentration detection limit in capillary gel electrophoresis 545(1991)177
Macek, K.
Chromatographic analysis of pharmaceuticals (edited by J. A. Adamovics (Book Review) 545(1991)219

Mahamed, A. M., see Lodi, G. 545(1991)214
Manchester, K. L., see Bhoolia, D. 545(1991)196
Manz, H. J., see Zeller, M. 545(1991)421
Marcolli, C., see Thormann, W. 545(1991)445
Martire, D. E., Riester, R. L., Bruno, T. J., Hussam, A. and Poe, D. P.
Generalized treatment of spatial and temporal column parameters, applicable to gas, liquid and supercritical fluid chromatography. II. Application to supercritical CO_2 545(1991)135
McCombs, D. A., see Kirkland, K. M. 545(1991)43
Meier, P., see Thormann, W. 545(1991)445
Mensink, C. K., see Wieling, J. 545(1991)101
Neilson, K. L., see Kirkland, K. M. 545(1991)43
Niethammer, D., see Bruchelt, G. 545(1991)407
Nishi, H., see Terabe, S. 545(1991)359
Odermatt, A., see Caslavska, J. 545(1991)315
Otsuka, K., see Terabe, S. 545(1991)359
Palamareva, M. D., Kurtev, B. J. and Kavrakova, I.
Chromatographic behaviour of diastereoisomers. X. Thin-layer chromatographic retentions on silica of some (*E*)- and (*Z*)-oxazolones and related cinnamates as a function of mobile phase effects or Hammett constants 545(1991)161
Poe, D. P., see Martire, D. E. 545(1991)135
Polonský, J., see Karovičová, J. 545(1991)413
Pospíchal, J., see Sudor, J. 545(1991)331
Príbela, A., see Karovičová, J. 545(1991)413
Rehner, G., see Hahn, A. 545(1991)91
Reijenga, J. C.
Data acquisition and digital filtering in analytical isotachophoresis 545(1991)337
Reijenga, J. C. and Verheggen, T. P. E. M.
Anomalous behaviour of sodium in isotachophoresis 545(1991)471
Reijenga, J. C., see Trieling, R. G. 545(1991)475
Rein, J., Cork, C. M. and Furton, K. G.
Factors governing the analytical supercritical fluid extraction and supercritical fluid chromatographic retention of polycyclic aromatic hydrocarbons 545(1991)149
Riester, R. L., see Martire, D. E. 545(1991)135
Scawen, M. D., see Edwardson, P. A. D. 545(1991)79
Schepers, J., see Wieling, J. 545(1991)101
Schmidt, K.-H., see Bruchelt, G. 545(1991)407
Schmidt-Beiwl, K., see Kenndler, E. 545(1991)397
Shibukawa, M., see Knox, J. H. 545(1991)123
Šimko, P., see Karovičová, J. 545(1991)413
Sivakoff, S., see Edwardson, P. A. D. 545(1991)79
Sollenberg, J.
Analytical isotachophoresis in biological monitoring of exposure to industrial chemicals (Review) 545(1991)369
Stout, R. W., see Edwardson, P. A. D. 545(1991)79
Štubňa, M., see Brandšteterová, E. 545(1991)205
Sudor, J., Pospíchal, J., Deml, M. and Boček, P.
Step change of co-ion, a new option in capillary zone electrophoresis 545(1991)331
Sugahara, T., see Takamura, K. 545(1991)201
Šustáček, V., Foret, F. and Boček, P.
Selection of the background electrolyte composition with respect to electromigration dispersion and detection of weakly absorbing substances in capillary zone electrophoresis 545(1991)239
Székely, G., see Zeller, M. 545(1991)421
Takamura, K., Hoshino, H., Sugahara, T. and Amano, H.
Determination of vitamin D_2 in shiitake mushroom (*Lentinus edodes*) by high-performance liquid chromatography 545(1991)201
Tar, A., see Gál, S. 545(1991)189
Terabe, S., Ishihama, Y., Nishi, H., Fukuyama, T. and Otsuka, K.
Effect of urea addition in micellar electrokinetic chromatography 545(1991)359
Thormann, W., Meier, P., Marcolli, C. and Binder, F.
Analysis of barbiturates in human serum and urine by high-performance capillary electrophoresis–micellar electrokinetic capillary chromatography with on-column multi-wavelength detection 545(1991)445
Thormann, W., see Caslavska, J. 545(1991)315
Thormann, W., see Gebauer, P. 545(1991)299
Tjaden, U. R., see Macek, J. 545(1991)177
Torikata, T., see Araki, T. 545(1991)183
Toth-Martinez, B. L., see Gál, S. 545(1991)189
Treuner, J., see Bruchelt, G. 545(1991)407
Trieling, R. G., Reijenga, J. C. and Jonker, H. D.
Use of isotachophoresis as a reference method for the simultaneous determination of barium and strontium 545(1991)475
Tsikas, D., Fauler, J., Brunner, G. and Frölich, J. C.
Capillary isotachophoretic determination of cysteinyl leukotrienes 545(1991)375
Tsukimura, B., see Borst, D. W. 545(1991)71
Vacík, J., see Gaš, B. 545(1991)225

Van de Goor, T. A. A. M., Janssen, P. S. L., Van Nispen, J. W., Van Zeeland, M. J. M. and Everaerts, F. M.
Capillary electrophoresis of peptides. Analysis of adrenocorticotropic hormone-related fragments 545(1991)379
Van der Greef, J., see Macek, J. 545(1991)177
Van Nispen, J. W., see Van de Goor, T. A. A. M. 545(1991)379
Van Zeeland, M. J. M., see Van de Goor, T. A. A. M. 545(1991)379
Verheggen, T. P. E. M., see Reijenga, J. C. 545(1991)471
Verpoorte, R.
Chromatographic analysis of alkaloids (by M. Popl, J. Fähnrich and V. Tatar (Book Review) 545(1991)221
Wang, Y., see Dantigny, P. 545(1991)27
Wieling, J., Schepers, J., Hempenius, J., Mensink, C. K. and Jonkman, J. H. G.
Optimization of chromatographic selectivity of twelve sulphonamides in reversed-phase high-performance liquid chromatography using mixture designs and multi-criteria decision making 545(1991)101
Yokota, Y., see Hirokawa, T. 545(1991)267
Zelenský, I., see Gaš, B. 545(1991)225
Zeller, M., Kessler, R., Manz, H. J. and Székely, G.
Determination of disodium 3-amino-1-hydroxypropylidene-1,1-bisphosphonate pentahydrate 545(1991)421
Zhang, Y., see Zou, H. 545(1991)59
Zou, H., Zhang, Y. and Lu, P.
Effect of organic modifier concentration on retention in reversed-phase ion-pair liquid chromatography 545(1991)59